

UNITED STATES PATENT AND TRADEMARK OFFICE

ENITED STATES DEPARTMENT OF COMMERCE Enited States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Boc 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION N	Ю.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/904,692	0/904,692 07/13/2001		Raymond Francis Jakubowicz	961_002	4749
20874	7590	08/18/2004		EXAMINER	
WALL MARJAMA & BILINSKI 101 SOUTH SALINA STREET				ALEXANDER, LYLE	
SUITE 400 SYRACUSE, NY 13202				ART UNIT	PAPER NUMBER
				1743	
				DATE MAILED: 08/18/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	09/904,692	JAKUBOWICZ ET AL.					
Office Action Summary	Examiner	Art Unit					
	Lyle A Alexander	1743					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on 24 M	ay 2004.						
2a) This action is FINAL . 2b) This action is non-final.							
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>1-22 and 54-59</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-22 and 54-59</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	r election requirement.						
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)							
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date.							
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 4/26/04.	5) Notice of Informal Pa 6) Other:	atent Application (PTO-152)					
J.S. Patent and Trademark Office	o/						

Application/Control Number: 09/904,692

Art Unit: 1743

Claim Rejections - 35 USC § 102

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1-22 and 54-59 rejected under 35 U.S.C. 102(b) as being clearly anticipated by Miller, Muszak et al. or Carey et al.

See the appropriate paragraph of the previous 1/23/04 Office action.

Applicants' have added the new limitation the first and second drive means are on a common horizontal plane. These references teach "an elevator assembly" that raises and lowers the drive means. The claim language only requires the drive means occupy a common horizontal plane at some time. The Office maintains the elevator assembly occupies the same horizontal plane as the other drive means when samples are being transferred between the two.

Carey et al. teach in incubation device having concentric rings that are independently operable in both forward and backwards directions that have been read on the claimed first and second drive means capable of operating in a first and second direction. The concentric rings are located in the same horizontal plane. The taught cuvette placement and extraction assemblies place the sample in the incubator and have been read on the claimed "load station". The taught immunoassay analysis has been read on the claimed read station.

Response to Arguments

Applicant's arguments filed 5/24/04 have been fully considered but they are not persuasive.

Application/Control Number: 09/904,692

Art Unit: 1743

Applicants argue Miller fails to teach a direct connection of the assemblies. Miller teaches an elevator that interconnects the two assemblies that has been properly read on the instant claims. Furthermore, the instant claims do not appear to have a limitation of "direct connection".

Applicants further state Miller and Muszak et al. fail to teach test samples or load stations in a common horizontal plane. As discussed above, the taught "elevator" will be in a common horizontal plane when the samples are transferring.

The remainder of Applicants remarks with respect to the other cited references were convincing and these rejections have been vacated.

Conclusion

Applicant's submission of an information disclosure statement under 37 CFR 1.97(c) with the fee set forth in 37 CFR 1.17(p) on 4/26/04 prompted the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 609(B)(2)(i). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will

Art Unit: 1743

the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lyle A Alexander whose telephone number is 571-272-1254. The examiner can normally be reached on Monday, Wednesday and Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lyle A Álexander Primary Examiner Art Unit 1743 Application/Control Number: 09/904,692

Art Unit: 1743

Page 5